

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1363	382/254.cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/13 10:34
L2	267	kondo.in. and ((motion or movement) with vector with detection)". clm"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/13 10:35
L3	53	kondo.in. and ((motion or movement) with vector with detection). clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/13 10:35
L4	398	382/254.cds. and (\$3blur\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/13 10:36
L5	4	kondo.in. and ((motion or movement) with vector with detection). clm. and \$blur\$.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/13 10:40
S1	191	motion\$1blur\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/04 15:11
S2	285	((motion\$1blur\$4) or (motion near2 blur\$4)) and (mov\$3 adj object) and (vector)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/04 15:13
S3	324	((motion\$1blur\$4) or (motion near2 blur\$4)). ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/04 15:13
S4	1	10/552467	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/04 15:13

S5	2	10/552467 or 10/552466	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/04 15:19
S6	2	"10552467" or "10552466"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/04 15:19
S7	1	"20040075749"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/04 15:20
S8	10	"20040075749" "20040021775" "20040047513" "20040061795" "20040062450" "20040028259" "20040081335"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/04 15:21
S9	12	(US-20060192857-\$ or US-20070040918-\$ or US-20040021775-\$ or US-20040075749-\$ or US-20040061795-\$ or US-20040081335-\$ or US-20040028259-\$ or US-20040047513-\$ or US-20040062450-\$).did. or (US-7139019-\$ or US- 7336818-\$ or US- 7181080-\$).did.	US-PGPUB; USPAT	OR	OFF	2008/03/04 15:22
S10	3	S3 and S9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/04 15:22
S12	7	S9 and ((motion\$1blur \$4) or (motion adj blur \$4)) and vector	US-PGPUB; USPAT	OR	OFF	2008/03/04 15:24
S13	5	"5812787".pn. "6396949".pn. "6054999".pn. "6771834".pn. "5933151".pn.	US-PGPUB; USPAT	OR	OFF	2008/03/04 15:28
S14	1	S13 and blur	US-PGPUB; USPAT	OR	OFF	2008/03/04 15:28
S17	11194	(motion adj vector)	US-PGPUB; USPAT	OR	OFF	2008/03/04 16:06

S22	1160	(motion adj vector) and (moving adj object)	US-PGPUB; USPAT	OR	OFF	2008/03/04 16:07
S23	430	(motion adj vector) same (moving adj object)	US-PGPUB; USPAT	OR	OFF	2008/03/04 16:07
S24	21	(motion adj vector) same (moving adj object) same blur\$4	US-PGPUB; USPAT	OR	OFF	2008/03/04 16:08
S25	1	"6330037".pn.	US-PGPUB; USPAT	OR	OFF	2008/03/04 16:12
S26	269	382/255.ccls.	US-PGPUB; USPAT	OR	OFF	2008/03/04 16:17
S27	4	("5402186" "6631210" "6977664").PN. OR ("7154541").URFN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/04 16:21
S28	139	S26 and blur\$4	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/04 16:27
S29	41	S26 and blur\$4 and vector	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/04 16:28
S30	169	"5193124" "5576975" "5291300" "5510894" "6201517" "5459542"	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/04 16:32
S31	10	"5193124".pn. "5576975".pn. "5291300".pn. "5510894".pn. "6201517".pn. "5459542".pn. "6888566".pn. "6993204".pn. "6438275".pn. "6888566".pn. "5453844".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/04 16:46
S33	1	"10552467"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/10 16:54
S34	2	(motion with vector with detection) and ((motion \$1blur\$5mitigat\$3) or (motion with blur\$4 with mitigat\$4)) and (combining with image \$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/10 17:01

S35	2	"20040021775"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/12 08:47
S36	5	"2004/0021775"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/12 08:47
S37	0	S35 and (output\$4 same pixel same location\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/12 08:48
S38	2	S35 and (output\$4 same pixel)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/12 08:48
S39	2	S35 and (output\$4 with pixel)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/12 08:49
S40	2	S35 and (back\$1ground)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/12 09:28
S41	2	S35 and (back\$1ground same time)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/12 09:29
S43	2	S35 and (vector with pixel)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/12 10:05
S47	0	S35 and (each with pixel)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/12 10:09
S48	0	S35 and (each with pixel)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/12 10:10

S49	0	S35 and ("each pixel")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/12 10:10
S50	2	S35 and ("movement vector" with pixel)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/12 10:13
S51	4	"5515181".pn. "6450647".pn. "6310662".pn. "6449004".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/12 10:32
S70	1	"10552467"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/12 16:15
S71	1	"10/552467"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/12 16:15
S72	343	"class tap"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/12 16:24
S73	99	"class tap" and "382". clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/12 16:24
S74	1	S70 and S72	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/12 16:34
S75	1	S70 and "class determination"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/12 16:44
S76	23	"class tap".clm. and "382".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/12 17:22

S77	2	"class tap" and "predictive coefficients" and "value generation"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/12 17:26
S78	49	"class tap" and "predictive coefficients"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/12 17:27
S79	5	S73 and (expand\$3 with image\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/12 17:36
S80	1	S73 and (expand\$3 and blur)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/12 17:43
S81	424	(expand\$3 adj image) and blur\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/12 17:45
S82	131	(expand\$3 adj image) and blur\$4 and "382". clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/12 17:45
S83	27	(expand\$3 adj image) and blur\$4 and "382". clas. and motion	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/12 17:45
S84	3	(expand\$3 adj image) and blur\$4 and "382". clas. and motion and (predictive)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/12 17:49
S85	2	"6292591".pn. "6757443".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/12 17:54
S86	118	zoom with image same blur\$4 same time	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/13 08:09

S87	8	zoom with image same blur\$4 same time and "382".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/13 08:11
S88	8	zoom same object same image same blur\$4 and "382".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/13 08:14
S89	81	zoom same object same image same blur\$4 and ("382".clas. or "345".clas. or "348".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/13 08:14
S90	23	zoom same object same image same blur\$4 same (motion or movement) and ("382".clas. or "345".clas. or "348".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/13 08:15
S91	1181	("382".clas. or "345".clas. or "348".clas.) and ((motion or movement) with blur\$4) and (zoom or expand\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/13 08:21
S92	698	("382".clas. or "345".clas. or "348".clas.) and ((motion or movement) with blur\$4) and ((zoom \$3 or expand\$2) with image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/13 08:21
S93	235	("382".clas. or "345".clas. or "348".clas.) and ((motion or movement) with blur\$4) and ((zoom \$3 or expand\$2) with image) and (motion or movement or blur\$4).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/13 08:22
S94	235	("382".clas. or "345".clas. or "348".clas.) and ((motion or movement) with blur\$4) and ((zoom \$3 or expand\$2) with image) and (motion or movement or \$3blur\$4).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/13 08:22

S95	2	"20020015528"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/13 08:36
S96	52	("382".clas.) and ((motion or movement) with blur\$4) and ((zoom \$3 or expand\$2) with image) and (motion or movement or \$3blur\$4).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/13 08:45
S97	0	("382".clas.) and (select with object) with (blur \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/13 08:46
S98	3	("382".clas.) and (select with object) same (blur \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/13 08:46
S99	138	select with blur\$4 with image	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/13 08:50
S100	34	select with blur\$4 with image and "382".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/13 08:50
S101	27	zoom with blur\$4 with image and "382".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/13 08:51
S102	105	((motion or movement) with blur).ab. and video.ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/13 08:55
S103	67	identif\$3 with blur\$4 with object\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/13 09:00

S104	20	identif\$3 with blur\$4 with object\$1 and "382". clas	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/13 09:00
S106	4	lee.in. and motorola.as and "382". clas	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/13 09:03
S107	255	zoom with region and "382".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/13 09:04
S108	1	(zoom with region same blur) and "382".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/13 09:04
S109	18	(zoom with region same (blur or motion or movement)) and "382". clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/13 09:05
S110	1	"5,557,684".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/13 09:15
S111	343	"class tap"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/13 09:55
S112	16	"class tap" not kondo.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/13 09:55
S113	312	"class determination"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/13 10:02
S114	524	"predictive coefficients"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/13 10:02

S115	3355	"value generation"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/13 10:03
S116	3419	tap and ("382".clas. or "345".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/13 10:03
S117	0	S114 and S115 and S116	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/13 10:03
S118	6	S115 and S116	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/13 10:03
S119	31	S114 and S116	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/13 10:04
S120	29	S114 and S116 and class	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/13 10:06
S121	9	S114 and S116 and class and (motion or movement or blur\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/13 10:06

3/13/2008 11:47:34 AM

C:\Documents and Settings\gthirugnanam\My Documents\EAST\Workspaces\10552467.wsp